according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

This safety data sheet pertains to the following products:

BS 100 WS 44 WS Gel WS 66 WS 38 WS Spezial

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive

1.3 Details of the supplier of the safety data sheet

Company name:	WINKEL GmbH	
Street/POB-No.:	Lisztstraße 1	
Postal Code, city:	53881 Euskirchen - Germany	
WWW:	www.winkelgroup.de	
E-mail:	info@winkelgroup.de	
Telephone:	++49 2251 77 69 400-401	
Telefax:	++49 2251 77 69 402	
Departmentresponsibleforinformation:		

info@winkelgroup.de

1.4 Emergency telephone number

BfR Bundesinstitut für Risikobewertung: +49-30-18412-0 Ontario Poison Centre: +1 (800)-268-9017 Alberta Poison & Drug Information Service: +1 (800) 332-1414 American Association of Poison Control Centers: +1 (800) 222-1222 The Centre antipoison du Québec: +1 (800) 463-5060

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	2 of 10

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.Eye Irrit. 2; H319 Causes serious eye irritation.STOT SE 3; H335 May cause respiratory irritation.

2.2 Label elements

Labelling (CLP)



	V	
Signal word:	Warning	
Hazard statements:	H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary Statements:	P102	Keep out of reach of children.
	P261	Avoid breathing vapours.
	P302+P352 P305+P351+P338 P312	IF ON SKIN: Wash with plenty of water/soap. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell.
	P501	Dispose of contents/container to hazardous or special waste collection point.
Special labelling	EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
Text for labelling:	Contains Eth	yl 2-cyanoacrylate.

2.3 Other hazards

No risks worthy of mention. Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	3 of 10

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119527766-29-xxxx EC No. 230-391-5 CAS 7085-85-0	Ethyl 2-cyanoacrylate	88 - 99 %	Skin Irrit. 2; H315. Eye Irrit. 2; H319. STOT SE 3; H335.
EC No. 204-617-8 CAS 123-31-9	Hydroquinone	< 0.1 %	Acute Tox. 4; H302. Eye Dam. 1; H318. Skin Sens. 1; H317. Muta. 2; H341. Carc. 2; H351. Aquatic Acute 1; H400.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Cyanacrylate - Danger - skin and eyelids will stick together in seconds.
In case of inhalation:	Move victim to fresh air, put at rest and loosen restrictive clothing. If breathing has stopped, give artificial respiration immediately. Seek medical attention.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. If product comes into contact with lips, hold mouth open. Do not allow lips to contact one another. Change contaminated clothing. Seek medical attention.
After eye contact:	Keep eye wide open. Subsequently seek the immediate attention of an ophthalmologist. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Do not attempt to pull apart bonded eyelid.
After swallowing:	Keep airway open. Seek medical attention.
4.2 Most importar	nt symptoms and effects, both acute and delayed
	In case of prolonged exposure: May cause sensitization by skin contact. Effects resulting from repeated or prolonged exposure: cough, shortage of breath, headache, nausea, vomiting, eye damage/irritation. In case of ingestion: May be harmful if swallowed. After contact with skin: Redness, pain. After eye contact: Redness, pain.
4.3 Indication of a	iny immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date: 5/9/2019 Version: 24

Language: en-GB,IE

Date of print: 30/10/2019 Page: 4 of 10

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, extinguishing powder, foam, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Combustible. On contact with air, potentially explosive mixtures may develop. In case of strong heating/In case of fire may be liberated: Cyanides, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Use fine water spray to cool endangered containers. You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Cyanacrylate - Danger - skin and eyelids will stick together in seconds.

Avoid contact with skin, eyes, and clothing.

Do not breathe vapour/aerosol. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Possible alternatives: Mix with water: Polymerisation. Take up mechanically and send to waste disposal.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe vapour/aerosol. Wear appropriate protective equipment. Avoid contact with skin, eyes, and clothing.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	5 of 10

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Use only explosion-proof equipment. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place. Protect from moisture contamination. Recommended storage temperature: 2-8 °C Protect from frost, heat and sunlight.

Hints on joint storage: Do not store together with strong oxidizing agents.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value	
7085-85-0	Ethyl 2-cyanoacrylate	Great Britain: WEL-STEL Ireland: 8 hours	1.5 mg/m³; 0.3 ppm 0.2 ppm	
123-31-9	Hydroquinone	Great Britain: WEL-TWA Ireland: 8 hours	0.5 mg/m³ 0.5 mg/m³	

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment. Use only explosion-proof equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	Respiratory protective device. Use filter type AXBEK according to EN 14387.
Hand protection:	Protective gloves according to EN 374. Glove material: nitrile rubber - Layer thickness: >= 0.1 mm Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to EN 166.
Body protection:	Wear suitable protective clothing.
General protection and hyg	iene measures:
	Change contaminated clothing. Avoid contact with the substance.
	Eye wash facility must be provided.

- Wash hands before breaks and after work.
- When using do not eat, drink or smoke.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	6 of 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1	
Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless
Odour:	stinging
Odour threshold:	No data available
pH value:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	150 °C
Flash point/flash point range:	87 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	1.05 g/mL
Solubility:	soluble in: acetone
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	1.42 log P(o/w) (Ethyl 2-cyanoacrylate)
	Based on the n-octanol/water partition coefficient significant accumulation in
	organisms is not expected.
Auto-ignition temperature:	500 °C
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available
9.2 Other information	

9.2 Other information

Molecular weight Additional information: (Ethyl 2-cyanoacrylate) No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

refer to 10.3

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Contact with the following materials leads to a violent reaction: Water, humidity - Polymerization along with heat production.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	7 of 10

10.4 Conditions to avoid

Protect from moisture contamination. Avoid open flames. Protect from frost, heat and sunlight.

10.5 Incompatible materials

Strong acids, strong oxidizing agents,, amines, alkalis, alcohol (danger of polymerization)

10.6 Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition products: Cyanides, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:	The statements are derived from the properties of the single components. No toxicological data is available for the product as such.
	Acute toxicity (oral): Based on available data, the classification criteria are not met. ATEmix (calculated): ATE > 2000 mg/kg.
	Acute toxicity (dermal): Based on available data, the classification criteria are not met. ATEmix (calculated): ATE > 5000 mg/kg.
	Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
	Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.
	Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.
	Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.
	Skin sensitisation: Based on available data, the classification criteria are not met.
	Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.
	Carcinogenicity: Based on available data, the classification criteria are not met.
	Reproductive toxicity: Based on available data, the classification criteria are not met.
	Effects on or via lactation: Based on available data, the classification criteria are not met.
	Specific target organ toxicity (single exposure): STOT SE 3; H335 = May cause respiratory irritation.
	Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.
	Aspiration hazard: Based on available data, the classification criteria are not met.
Other information:	Information about Ethyl 2-cyanoacrylate: LD50 Rat, oral: > 5000 mg/kg (OECD 401) LD50 Rabbit, male, dermal: > 2000 mg/kg (OECD 402)
	Cyanacrylate - Danger - skin and eyelids will stick together in seconds. Keep out of the reach of children.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019	Date of prin	t: 30/10/2019
Version:	24	Language: en-GB,IE Page:	8 of 10

Symptoms

In case of prolonged exposure: May cause sensitization by skin contact. Effects resulting from repeated or prolonged exposure: cough, shortage of breath, headache, nausea, vomiting, eye damage/irritation. In case of ingestion: May be harmful if swallowed. After contact with skin: Redness, pain. After eye contact: Redness, pain.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: Product is biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

1.42 log P(o/w) (Ethyl 2-cyanoacrylate) Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:	08 04 09* =	Waste adhesives and sealants containing organic solvents or other dangerous substances MFSU = manufacture, formulation, supply and use * = Evidence for disposal must be provided.
Recommendation:	Incinerate as	hazardous waste according to applicable local, state, and federal regulations.
Contaminated packaging		

Recommendation:

Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date: 5/9/2019 Version: 24

Language: en-GB,IE

Date of print: 30/10/2019 Page: 9 of 10

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG: not applicable IATA-DGR: UN 3334

14.2 UN proper shipping name

ADR/RID, IMDG:Not restrictedIATA-DGR:UN 3334, AVIATION REGULATED LIQUID, N.O.S. (Ethyl 2-cyanoacrylate)

14.3 Transport hazard class(es)

ADR/RID, IMDG:	not applicable
IATA-DGR:	Class 9

14.4 Packing group

ADR/RID, IMDG: not applicable IATA-DGR: III

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

no

Air transport (IATA)

Hazard label:	Miscellaneous
Excepted Quantity Code:	E1
Passenger and Cargo Aircraft: Ltd.Qty.:	Pack.Instr. Y964 - Max. Net Qty/Pkg. 30 kg G
Passenger and Cargo Aircraft:	Pack.Instr. 964 - Max. Net Qty/Pkg. 450 L
Cargo Aircraft only:	Pack.Instr. 964 - Max. Net Qty/Pkg. 450 L
Special provisions:	A27
Emergency Response Guide-Code (ERG):	9A

Dangerous only when carried in tank vessel

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Volatile organic compounds (VOC):

2 % by weight = 20 g/L

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



WS Super Glues

Revision date:	5/9/2019		Date of print:	30/10/2019
Version:	24	Language: en-GB,IE	Page:	10 of 10

Labelling of packaging with <= 125mL content

	\sim	
Signal word:	Warning	
Hazard statements:	H335	May cause respiratory irritation.
Precautionary Statements:	P102	Keep out of reach of children.
	P261	Avoid breathing vapours.
	P312	Call a POISON CENTER/doctor if you feel unwell.
	P501	Dispose of contents/container to hazardous or special waste collection point.
Further regulations, limitation	ns and legal require	ments:
	Use restriction	on according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases u	Inder paragraph 2 and 3:

H302 = Harmful if swallowed.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H319 = Causes serious eye irritation.
H335 = May cause respiratory irritation.
H341 = Suspected of causing genetic defects.
H351 = Suspected of causing cancer.
H400 = Very toxic to aquatic life.
EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of
children.
Changes in section 11. Transport information (ADNI)
Changes in section 11: Transport information (ADN)
General revision

Date of first version: 13/12/2012

Reason of change:

Department issuing data sheet

Contact person: see section 1: Department responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.