

Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 1 / 10

Section1:Identification of the subtance/mixture and of the company/undertaking

1.1 Product identifier

Rohrgewindedichtung 628-577 628-577 Yellow Color (Unremoveable)

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive Sealing material

1.2.2 Uses advised against

None known.

WINKEL GmbH

E-mail

1.3 Details of the supplier of the safety data sheet

Company

Lisztstraße 1 53881 Euskirchen / Germany Phone +49 2251/7769400 Fax +49 2251/7769402 Homepage www.winkelgroup.de info@winkelgroup.de

1.4 Emergency telephone number

BfR Bundesinstitut für Risikobewertung: +49-30-18412-0

Ontario Poison Centre: +1 (800)-268-9017

Alberta Poison & Drug Information Service: +1 (800) 332-1414 American Association of Poison Control Centers: +1 (800) 222-1222

The Centre antipoison du Québec: +1 (800) 463-5060

Section 2:Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2: H319 Causes serious eye irritation. Skin Sens. 1: H317 May cause an allergic skin reaction. STOT SE 3: H335 May cause respiratory irritation.

2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC

Xi, Irritant - R 36/37: Irritating to eyes and respiratory system. Sensitizing. - R 43: May cause sensitisation by skin contact.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 2 / 10

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Labelling according to Regulation (EC) 1272/2008

Hazard pictograms

Signal word WARNING

Contains: 2,2'-Ethylenedioxydiethyl dimethacrylate

Methacrylic acid, monoester with Propan-1,2-diole

Cumene hydroperoxide 2'-Phenylacetohydrazide

Hazard statements H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P405 Store locked up.
P501 Dispose of contents/container to in accordance with local/regional/national/international

regulation.

2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge

Section 3:Composition/information on ingeredients

Product-type:

The product is a mixture.

Range [%]	Substance
42 - 49	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6
	GHS/CLP: Skin Sens. 1: H317
	EEC: Xi, R 43
19 - 26	Di-"isononyl" phthalate
	CAS: 28553-12-0, EINECS/ELINCS: 249-079-5
15 - 24	Methacrylic acid, monoester with Propan-1,2-diole
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
	EEC: Xi, R 36-43
1 - <15	Silicon dioxide
	CAS: 112945-52-5, EINECS/ELINCS: 231-545-4
1 - <2,5	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411, M = 1
	EEC: O-T-N, R 7-21/22-23-48/20/22-34-51/53
0,1 - <1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - STOT SE 3: H335
	EEC: Xn, R 22-36/37/38-43

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 3 / 10

Section 4:First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Supply with medical care.
Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

Section 5:Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx).

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Section 6:Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective clothing.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 4 / 10

Section 7:Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Open and handle container with care.

Keep away from sources of ignition - refrain from smoking.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Do not store together with acids.

Keep container in a well-ventilated place.

Keep container tightly closed.

Store in a dry place.

Recommended storage temperature: <25 °C.

Protect from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

Section 8:Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
19 - 26	Di-"isononyl" phthalate
	CAS: 28553-12-0, EINECS/ELINCS: 249-079-5
	Long-term exposure: 5 mg/m³
1 - <15	Silicon dioxide
	CAS: 112945-52-5, EINECS/ELINCS: 231-545-4
	Long-term exposure: 6 mg/m³, total inhalable dust

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.

Eye protection Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.

In full contact:

Butyl rubber, >480 min (EN 374).

In splash contact Nitrile rubber, >480 min (EN 374).

Alkali-resistant protective clothing.

Skin protection Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place. depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

Breathing apparatus in the event of aerosol or mist formation. Respiratory protection

Short term: filter apparatus, filter A Thermal hazards not applicable

Delimitation and monitoring of the environmental exposition

See SECTION 6+7.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 5 / 10

Section 9:Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form pasty
Color various
Odor characteristic
Odour threshold not determined
pH-value 3-4

pH-value [1%] not applicable

Boiling point [°C] not determined not determined

Flash point [°C] >93

Flammability [°C] not determined

Lower explosion limit not applicable

Upper explosion limit not applicable

Oxidizing properties no

Vapour pressure/gas pressure [kPa] not determined
Density [g/ml] 1,0 - 1,1
Bulk density [kg/m³] not applicable
Solubility in water partially soluble
Partition coefficient [n-octanol/water] not determined

Viscosity 60.000 - 90.000 mPas (25°C)

Relative vapour density determined in air

Evaporation speed not determined

Evaporation speed not determined
Melting point [°C] not determined
Autoignition temperature [°C] not determined
Decomposition temperature [°C] not determined

9.2 Other information

Temperature resistance: <150°C °C

Section 10:Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids. Polymerization may occur at elevated temperature.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

Various metals.

10.6 Hazardous decomposition products

Irritant gases/vapours.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 6 / 10

Section 11:Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
1 - <2,5	Cumene hydroperoxide, CAS: 80-15-9
	LD50, oral, Rat: 382 mg/kg IUCLID.
	LC50, inhalative, Rat: 220 ppm 4h IUCLID.
15 - 24	Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
	LD50, dermal, Rabbit: > 5000 mg/kg (IUCLID).
	LD50, oral, Rat. > 4000 mg/kg (IUCLID).
0,1 - <1	2'-Phenylacetohydrazide, CAS: 114-83-0
	LD50, oral, mouse: 270 mg/kg bw (Lit.).
19 - 26	Di-"isononyl" phthalate, CAS: 28553-12-0
	LD50, dermal, Rabbit: 3160 mg/kg.
	LD50, oral, Rat. 50000 mg/kg.
	LC50, inhalative, 4400 mg/m³.
42 - 49	2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0
	LD50, oral, Rat: > 2000 mg/kg (Lit.).

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined General remarks

Toxicological data of complete product are not available.

Section 12:Ecological information

12.1 Toxicity

Range [%]	Substance
1 - <2,5	Cumene hydroperoxide, CAS: 80-15-9
	LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l.
	EC50, (24h), Daphnia magna: 7 mg/l.
15 - 24	Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
	LC50, (48h), Leuciscus idus: 493 mg/L (IUCLID).
	EC10, (16h), Pseudomonas putida: 1140 mg/l (IUCLID).
19 - 26	Di-"isononyl" phthalate, CAS: 28553-12-0
	LC50, (96h), Leuciscus idus: > 500 mg/l.
	LC50, (96h), Brachidanio rerio: > 100 mg/l.
	EC50, Scenedesmus subspicatus: > 500 mg/l.
	EC50, (24h), Daphnia magna: > 500 mg/l.

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not applicable

Behaviour in sewage plant not applicable Biological degradability



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 7 / 10

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.

The product was classified on the basis of the calculation procedure of the preparation directive.

Section 13:Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended) 080409*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

Section 14:Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 8 / 10

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Section 15:Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); **EEC-REGULATIONS**

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013). NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

- VOC (1999/13/CE) not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Section 16:Other information

16.1 R-phrases (SECTION 3)

R 43: May cause sensitisation by skin contact.

R 36: Irritating to eyes. R 7: May cause fire.

R 21/22: Harmful in contact with skin and if swallowed.

R 23: Toxic by inhalation.
R 48/20/22: Harmful - danger of serious damage to health by prolonged exposure through

inhalation and if swallowed.

R 34: Causes burns.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 22: Harmful if swallowed. R 36/37/38: Irritating to eyes, respiratory system and skin.

16.2 Hazard statements (SECTION 3)

H335 May cause respiratory irritation.

H315 Causes skin irritation. H301 Toxic if swallowed.

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 9 / 10

16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.4 Other information

Customs Tariff

Classification procedure

not determined

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position SECTION 3 been added: 2'-Phenylacetohydrazide

SECTION 2 deleted: 2'-Phenylacetohydrazide

SECTION 2 been added: 2'-Phenylacetohydrazide

SECTION 2 been added: 2'-Phenylacetohydrazide

SECTION 2 been added: H335 May cause respiratory irritation

SECTION 2 been added: R 36/37: Irritating to eyes and respiratory system.

SECTION 2 deleted: H315 Causes skin irritation.

SECTION 2 been added: Eye Irrit. 2

SECTION 2 been added: H319 Causes serious eye irritation.

SECTION 2 been added: Skin Sens. 1

SECTION 2 been added: H317 May cause an allergic skin reaction.

SECTION 2 deleted: R 36/37/38: Irritating to eyes, respiratory system and skin.

SECTION 2 been added: STOT SE 3

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.



Date printed 02.01.2015, Revision 09.05.2014

Version 03. Supersedes version: 02

Page 10 / 10